MISSING CHILD IDENTIFICATION SYSTEM USING DEEP LEARNING AND MULTICLASS SVM

V L Manaswini Nune¹, Mr. Enapakurthi Sateesh ², Munni Venuturumilli³

Student^{1, 3}, Assistant.Professor²

Amritha Sai Institute of Science and Technology Paritala-521180 Autonomous NAAC with A Grade, Andhra Pradesh, India

Abstract:

In this project, public can upload photographs of suspicious child into a common portal with landmarks and remarks. The photo will be automatically compared with the registered photos of the missing child from the repository. Classification of the input child image is performed and photo with best match will be selected from the database of missing children. For this, a deep learning model is trained to correctly identify the missing child from the missing child image database provided, using the facial image uploaded by the public. The Convolutional Neural Network (CNN), a highly effective deep learning technique for image based applications is adopted here for face recognition. Face descriptors are extracted from the images using a pre-trained CNN model VGG-Face deep architecture. Compared with normal deep learning applications, our algorithm uses convolution network only as a high level feature extractor and the child recognition is done by the trained SVM classifier. Choosing the best performing CNN model for face recognition, VGG-Face and proper training of it results in a deep learning model invariant to noise, illumination, contrast, occlusion, image pose and age of the child and it outperforms earlier methods in face recognition based missing child identification.

Key Words: Missing Child, CNN, SVM, VGG

INTRODUCTION

The future of any country depends upon the right upbringing of its children. India is the second populous country in the world and children represent a significant percentage of total population. But unfortunately a large number of children go missing every year in India due to various reasons including abduction or kidnapping, run-away children, trafficked children and lost children. A deeply disturbing fact about India's missing children is that while on an average 174 children go missing every day, half of them remain untraced. Children who go missing may be exploited and abused for various purposes. As per the National Crime Records Bureau (NCRB) report which was cited by the Ministry of Home Affairs (MHA) in the Parliament (LS Q no. 3928, 20-03- 2018), more than one lakh children (1,11,569 in actual numbers) were reported to have gone missing till 2016, and 55,625

of them remained untraced till the end of the year. Many NGOs claim that estimates of missing children are much higher than reported. Mostly missing child cases are reported to the police. The child missing from one region may be found in another region or another state, for various reasons. So even if a child is found, it is difficult to identify him/her from the reported missing cases. A framework and methodology for developing an assistive tool for tracing missing child is described in this paper. An idea for maintaining a virtual space is proposed, such that the recent photographs of children given by parents at the time of reporting missing cases is saved in a repository. The public is given provision to voluntarily take photographs of children in suspected situations and uploaded in that portal. Automatic searching of this photo among the missing child case images will be provided in the application. This supports the police officials to locate the child anywhere in India. When a child is found, the photograph at that time is matched against the images uploaded by the Police/guardian at the time of missing. Sometimes the child has been missing for a long time. This age gap reflects in the images since aging affects the shape of the face and texture of the skin. The feature discriminator invariant to aging effects has to be derived. This is the challenge in missing child identification compared to the other face recognition systems. Also facial appearance of child can vary due to changes in pose, orientation, illumination, occlusions, noise in background etc. The image taken by public may not be of good quality, as some of them may be captured from a distance without the knowledge of the child. A deep learning [1] architecture considering all these constrain is designed here. The proposed system is comparatively an easy, inexpensive and reliable method compared to other biometrics like finger print and iris recognition systems.

LITERATURE SURVEY

1. Y. LeCun, Y. Bengio, and G. Hinton, "Deep learning", Nature, 521(7553):436–444, 2015.

Deep learning allows computational models that are composed of multiple processing layers to learn representations of data with multiple levels of abstraction. These methods have dramatically improved the state-of-the-art in speech recognition, visual object recognition, object detection and many other domains such as drug discovery and genomics. Deep learning discovers intricate structure in large data sets by using the back propagation algorithm to indicate how a machine should change its internal parameters that are used to compute the representation in each layer from the representation in the previous layer. Deep convolutional nets have brought about breakthroughs in processing images, video, speech and audio, whereas recurrent nets have shone light on sequential data such as text and speech.

2. O. M. Parkhi, A. Vedaldi, and A. Zisserman, "Deep Face Recognition," in British Machine Vision Conference, vol. 1, no. 3, pp. 1-12, 2015.

He goal of this paper is face recognition -- from either a single photograph or from a set of faces tracked in a video. Recent progress in this area has been due to two factors: (i) end to end learning for the task using a convolutional neural network (CNN), and (ii) the availability of very large scale training datasets. We make two contributions: first, we show how a very large scale dataset (2.6M images, over 2.6K people) can be assembled by a combination of automation and human in the loop, and discuss the trade off between data purity and time; second, we traverse through the complexities of deep network training and face recognition to present methods and procedures to achieve comparable state of the art results on the standard LFW and YTF face benchmarks.

3. A. Vedaldi, and K. Lenc, "MatConvNet: Convolutional Neural Networks for MATLAB", ACM International Conference on Multimedia, Brisbane, October 2015.

MatConvNet is an implementation of Convolutional Neural Networks (CNNs) for MATLAB. The toolbox is designed with an emphasis on simplicity and flexibility. It exposes the building blocks of CNNs as easy-to-use MATLAB functions, providing routines for computing linear convolutions with filter banks, feature pooling, and many more. In this manner, MatConvNet allows fast prototyping of new CNN architectures; at the same time, it supports efficient computation on CPU and GPU allowing to train complex models on large datasets such as ImageNet ILSVRC. This document provides an overview of CNNs and how they are implemented in MatConvNet and gives thetechnical details of each computational block in the toolbox.

PROBLEM STATEMENT EXISTING SYSTEM

Earliest methods for face recognition commonly used computer vision features such as HOG, LBP, SIFT, or SURF [2-3]. However, features extracted using a CNN network for getting facial representations gives better performance in face recognition than handcrafted features. **PROPOSED SYSTEM**

Here we propose a methodology for missing child identification which combines facial feature extraction based on deep learning and matching based on support vector machine. The proposed system utilizes face recognition for missing child identification.


ISSN No: 2250-3676 www.ijesat.com Page | 513

SAMPLE RESULTS



In above screen public can click on 'Public Upload Suspected Child' link to get below page and to add missing child details





In above screen public will enter suspected child details and then upload photo and then click on 'Submit' button and to get below result



In above screen we can see child not found in missing DB and we can try with other image



And below is the result for new above child details

CONCLUSION

In this paper, A missing child identification system is proposed, which combines the powerful CNN based deep learning approach for feature extraction and support vector machine classifier for classification of different child categories. This system is evaluated with the deep learning model which is trained with feature representations of children faces. By discarding the softmax of the VGG-Face model and extracting CNN image features to train a multi class SVM, it was possible to achieve superior performance. Performance of the proposed system is tested using the photographs of children with different lighting conditions, noises and also images at different ages of children. The classification achieved a higher accuracy of 99.41% which shows that the proposed methodology of face recognition could be used for reliable missing children identification.

REFERENCES:

- [1] Y. LeCun, Y. Bengio, and G. Hinton, "Deep learning", Nature, 521(7553):436–444, 2015.
- [2] O. Deniz, G. Bueno, J. Salido, and F. D. la Torre, "Face recognition using histograms of oriented gradients", Pattern Recognition Letters, 32(12):1598–1603, 2011. [3] C. Geng and X. Jiang, "Face recognition using sift features", IEEE International Conference on Image Processing(ICIP), 2009.
- [4] RohitSatle, VishnuprasadPoojary, John Abraham, ShilpaWakode, "Missing child identification using face recognition system", International Journal of Advanced Engineering and Innovative Technology (IJAEIT), Volume 3 Issue 1 July August 2016.
- [5] https://en.wikipedia.org/wiki/FindFace
- $[6] \qquad \underline{https://www.reuters.com/article/us-china-trafficking-apps/mobileapp-helps-china-recover-\underline{hundreds-of-missing-childrenidUSKBN15J0GU}$
- [7] Simonyan, Karen and Andrew Zisserman, "Very deep convolutional networks for large-scale image recognition", International Conference on Learning Representations (ICLR), April 2015.
- [8] O. M. Parkhi, A. Vedaldi, and A. Zisserman, "Deep Face Recognition," in British Machine Vision Conference, vol. 1, no. 3, pp. 1-12, 2015.
- [9] A. Vedaldi, and K. Lenc, "MatConvNet: Convolutional Neural Networks for MATLAB", ACM International Conference on Multimedia, Brisbane, October 2015.

ISSN No: 2250-3676 www.ijesat.com Page | 516