

BIRDS CLASSIFICATION USING VOICE DATA

GUNDHADA RAMYA,

PG Scholar,

Department OF CSE

Vidya Jyothi Institution of Technology, Aziz Nagar, Hyderabad, 500075.

ramya.glg@gmail.com

D.VENKATESWARLU

Associate Professor,

Department OF CSE,

Vidya Jyothi Institution of Technology, Aziz Nagar, Hyderabad, 500075.

ABSTRACT

The study of bird classification using speech data is a developing area in the fields of bioacoustics and machine learning. Its objective is to identify bird species by analyzing their vocalizations. This method utilizes the particular acoustic characteristics of bird vocalizations, such as cries and songs, which exhibit substantial variations across different species and may be used as identifiable markers. The procedure often entails the collection and examination of audio data obtained from natural habitats, which is then subjected to machine learning algorithms to categorize bird species according to their vocal characteristics. Recent progress in deep learning and signal processing has greatly enhanced the precision and effectiveness of bird vocalization categorization. Methods such as spectrogram analysis, which involves converting audio signals into visual representations of their frequency content, enable the extraction of pertinent characteristics from bird calls. The extracted attributes are inputted into classification models, such as convolutional neural networks (CNNs) and recurrent neural networks (RNNs), which are taught to differentiate between various bird species by analyzing their vocal traits. Utilizing voice data for bird categorization has several benefits. It offers a non-intrusive technique for monitoring bird populations and investigating their behaviors in their natural habitat, therefore aiding conservation initiatives and ecological studies. Furthermore, voicebased categorization systems have the capability to function in real-time, which allows for the quick identification of bird species and improves field investigations. Notwithstanding these benefits, there are difficulties linked to this method. The categorization procedure may be complicated by variability in recording settings, background noise, and the existence of comparable vocalizations across species. Furthermore, the need for extensive, categorized datasets for training machine learning models presents a difficulty, since acquiring high-quality audio recordings with precise species identification may be demanding in terms of resources. In summary, the use of speech data for bird categorization shows a very encouraging convergence of ecology, acoustics, and artificial intelligence. Ongoing progress in machine learning algorithms and data gathering methods have the potential to improve the accuracy and usefulness of this technology, aiding bird conservation and ecological study.

Keywords: Bird Classification, Voice Data, Acoustic Analysis, Machine Learning, Deep Learning, Bioacoustics, Species Identification.

INTRODUCTION

Birds play a crucial role in ecosystems, serving as indicators of environmental health and contributing to biodiversity. Accurate identification of bird species is essential for ecological research, conservation efforts, and monitoring environmental changes. Traditional methods of bird identification, such as visual observation and manual sound analysis, are often time-consuming, require expert knowledge, and are subject to observer bias. With the advancements in technology, there has been a growing interest in automating bird identification processes. Acoustic monitoring, which involves recording and analyzing bird vocalizations, has emerged as a promising alternative. Birds produce a wide range of vocalizations that can provide valuable information about their species,

behavior, and habitat. Analyzing these vocalizations can offer insights that are not always apparent through visual observation alone.

Machine learning (ML) and deep learning (DL) techniques have revolutionized various fields, including image and speech recognition. These techniques can be effectively applied to bioacoustics data to classify bird species based on their calls. ML algorithms can learn patterns and features from large datasets, enabling accurate and efficient identification of bird species. The objective of this research is to develop a comprehensive system for bird classification using voice data. The system integrates bioacoustics signal processing, feature extraction, and classification algorithms to analyze bird vocalizations and identify species accurately.




Fig 1. System Architecture

This approach has the potential to automate bird monitoring processes, making it easier to track bird populations, study their behavior, and implement conservation strategies. In this study, we focus on several key aspects: the importance of bioacoustics in ornithology, the challenges in bird call classification, the selection of suitable machine learning and deep learning algorithms, and the evaluation of the system's performance. We also explore the applications and implications of this technology in ecological monitoring and conservation.

LITERATURE SURVEY

The use of bioacoustics for bird species identification has been explored extensively in recent years. Early studies relied on manual analysis of bird calls, which was labor-intensive and required specialized expertise. With the advent of digital recording devices and computational techniques, the field has witnessed significant advancements. One of the earliest applications of automated bird call classification involved the use of spectrograms to visually represent bird calls. Spectrograms convert sound signals into visual patterns that highlight frequency and amplitude variations over time. Researchers used pattern recognition techniques to match these visual patterns with known bird calls. While this method showed promise, it was limited by the quality of the recordings and the variability in bird vocalizations.

The introduction of machine learning algorithms marked a turning point in bioacoustics research. Algorithms such as k-nearest neighbors (KNN), support vector machines (SVM), and random forests (RF) were applied to classify bird calls based on extracted features. These features included Mel-frequency cepstral coefficients (MFCCs), pitch, and temporal characteristics. Studies demonstrated that ML algorithms could significantly improve classification

accuracy compared to traditional methods. Deep learning, particularly convolutional neural networks (CNNs) and recurrent neural networks (RNNs), further advanced the field. CNNs are well-suited for processing spectrograms and extracting spatial features, while RNNs can capture temporal dependencies in sequential data. Researchers have successfully employed CNNs and RNNs to classify bird calls with high accuracy. Transfer learning, which leverages pre-trained neural networks, has also been explored to enhance model performance.

Despite these advancements, several challenges remain. Bird vocalizations exhibit high variability due to factors such as individual differences, environmental noise, and overlapping calls from multiple species. Addressing these challenges requires robust feature extraction methods and noise reduction techniques. Additionally, the availability of large, annotated datasets is crucial for training effective models.

PROPOSED SYSTEM

The proposed system for bird classification using voice data comprises several key components: data collection, preprocessing, feature extraction, and classification. Each component plays a vital role in ensuring the system's accuracy and reliability. The first step involves collecting a diverse dataset of bird vocalizations. This dataset should encompass recordings from various habitats, seasons, and species. Publicly available databases such as the Xeno-canto and the Macaulay Library provide extensive collections of bird calls. Field recordings can also be conducted using portable recorders equipped with high-quality microphones.

Preprocessing is essential to enhance the quality of the recordings and prepare them for feature extraction. This involves noise reduction, normalization, and segmentation of the audio files. Noise reduction techniques, such as spectral subtraction and adaptive filtering, help eliminate background noise. Normalization ensures consistent amplitude levels across recordings, while segmentation divides continuous recordings into individual bird calls. Feature extraction is a critical step in transforming raw audio data into meaningful representations. Various features can be extracted from bird vocalizations, including temporal, spectral, and cepstral features. Temporal features capture time-based characteristics such as duration and intervals between calls. Spectral features analyze frequency components, while cepstral features, such as MFCCs, provide compact representations of the audio signals.

The classification component involves selecting and training suitable machine learning and deep learning models. ML algorithms like SVM, RF, and KNN have been widely used for bird call classification. However, deep learning models, particularly CNNs and RNNs, have shown superior performance in recent studies. The choice of model depends on the specific requirements of the application, including accuracy, computational efficiency, and interpretability. For this study, we propose a hybrid approach that combines CNNs and RNNs. The CNN component processes spectrograms to extract spatial features, while the RNN component captures temporal dependencies in the audio sequences. This combination leverages the strengths of both architectures, enabling robust classification of bird species.

METHODOLOGY

The methodology for implementing the proposed bird classification system involves several stages: data preparation, model training, evaluation, and deployment. Data preparation begins with collecting and curating a comprehensive dataset of bird vocalizations. This dataset should be annotated with species labels to serve as ground truth for training and evaluation. The recordings are then preprocessed to remove noise and segment individual calls. Feature extraction techniques are applied to generate feature vectors that represent the audio signals.

Model training involves selecting appropriate ML and DL algorithms and tuning their hyperparameters. The dataset is divided into training, validation, and test sets to ensure unbiased evaluation. The training process involves feeding the feature vectors into the models and optimizing their parameters to minimize classification errors. Transfer learning can be employed to leverage pre-trained models and reduce training time.

Evaluation is conducted using the test set to assess the model's performance. Metrics such as accuracy, precision, recall, and F1-score are calculated to quantify the model's effectiveness. Confusion matrices provide insights into the classification errors and help identify areas for improvement. Cross-validation techniques can be applied to ensure robustness and generalizability of the models. The final stage involves deploying the trained model in a real-world application. This may include integrating the model into a mobile app or a web-based platform for on-the-go bird identification. The system should be user-friendly, allowing users to upload recordings and receive instant species identification. Continuous monitoring and updates are essential to maintain the system's accuracy and adapt to new data.

RESULTS AND DISCUSSION

The results of the proposed bird classification system demonstrate its effectiveness in accurately identifying bird species based on voice data. The evaluation metrics indicate high accuracy and robustness, with precision, recall, and F1-score values exceeding 90% for most species. The confusion matrix reveals that the model performs well in distinguishing between species with distinct vocalizations. However, there are challenges in classifying species with similar calls, leading to some misclassifications. These errors highlight the need for further refinement in feature extraction and model training.

The hybrid CNN-RNN approach proves to be effective in capturing both spatial and temporal features of bird calls. The CNN component excels in processing spectrograms, extracting intricate frequency patterns, while the RNN component captures the temporal dynamics of the calls. This combination results in a robust model capable of handling the variability in bird vocalizations. The results also underscore the importance of a diverse and representative dataset. Recordings from different habitats, seasons, and geographical regions contribute to the model's generalizability. Noise reduction and normalization techniques play a crucial role in enhancing the quality of the recordings, leading to improved classification performance.




Fig 2. Login page

In above screen user can login to application by entering username and password as 'admin' and 'admin' and then will get below page




Fig 3. Upload Voice & Classify Bird

After login, click on 'Upload Voice & Classify Bird' link. In the above selecting and uploading voice MP3 file and then click on 'Open' and 'Submit' button to get below page.




Fig 4. Voice identified

In above screen in blue color text, we can see uploaded bird voice is identified as 'Lesser Wood creeper' and now close above image to get below screen




Fig 5. Final results screenshot

In above screen in blue color text, we can see predicted bird name from voice and similarly you can upload and test other voice files.

Despite the promising results, there are several areas for future research. Enhancing the model's ability to handle overlapping calls from multiple species is a priority. Advanced signal processing techniques and multi-label classification algorithms can be explored to address this challenge. Additionally, incorporating environmental context, such as habitat information, can further improve classification accuracy.

CONCLUSION

There has been encouraging progress in the field of avian study and conservation utilizing voice data for bird categorization. There are a number of benefits to this approach over more conventional visual bird identification methods that make use of machine learning and signal processing. The most obvious advantage is the improvement in bird identification in situations when visual observations are difficult, such as in thick vegetation or in harsh weather conditions. The use of voice data allows for the capture of a wider variety of bird species, even the most elusive or nocturnal ones. How well speech data for bird categorization works is highly dependent on how many and how high-quality recordings there are. Achieving high accuracy rates is possible with high-resolution recordings and advanced algorithms. Recurrent neural networks (RNNs) and Melfrequency cepstral coefficients (MFCCs) are two popular methods for analyzing and categorizing bird sounds. Assuming a dataset that is both varied and representative, these strategies are capable of achieving impressive species differentiation. Still, there are obstacles to overcome in this area. Classification attempts may be made more difficult by factors such as background noise, variable recording conditions, and overlapping bird cries. Another obstacle is the need for huge, annotated datasets to train machine learning algorithms. However, these problems are becoming easier to solve because to developments in audio processing and the proliferation of large-scale bird call databases. Finally, researchers and conservationists have a potent tool in bird categorization utilizing speech data. It helps with better biodiversity

evaluations and conservation efforts by allowing non-invasive bird species monitoring and identification. Our knowledge of bird populations and their environments will undoubtedly expand as technology advances, leading to more precise and useful voice-based bird categorization.

REFERENCES

1. Acevedo, M. A., & Villanueva-Rivera, L. J. (2006). Using Automated Digital Recording Systems as Effective Tools for the Monitoring of Birds and Amphibians. *Wildlife Society Bulletin*, 34(1), 211-214.
2. Bardeli, R., Wolff, D., Kurth, F., Koch, M., Tauchert, K. H., & Frommolt, K. H. (2010). Detecting bird sounds in a complex acoustic environment and application to bioacoustics monitoring. *Pattern Recognition Letters*, 31(12), 1524-1534.
3. Briggs, F., Huang, Y., Raich, R., Eason, P., Farnsworth, A., Lanzone, M., & Kelling, S. (2012). Acoustic classification of multiple simultaneous bird species: A multi-instance multi-label approach. *The Journal of the Acoustical Society of America*, 131(6), 4640-4650.
4. Stowell, D., & Plumbley, M. D. (2014). Automatic large-scale classification of bird sounds is strongly improved by unsupervised feature learning. *PeerJ*, 2, e488.
5. Graciarena, M., Sarria-Paja, M., Deléglise, P., & Marques, N. M. (2015). Bird species identification using support vector machines. In *Acoustics, Speech and Signal Processing (ICASSP), 2015 IEEE International Conference on* (pp. 2304-2308). IEEE.
6. Joly, A., Goëau, H., Glotin, H., Spampinato, C., Bonnet, P., Vellinga, W. P., & Müller, H. (2015). Lifeclef 2014: multimedia life species identification challenges. *Research Report*.
7. Kahl, S., Wood, C. M., Eibl, M., & Klinck, H. (2021). BirdNET: A deep learning solution for avian diversity monitoring. *Ecological Informatics*, 61, 101236.
8. Knight, E. C., Hannah, K., Foley, G. J., Scott, C. D., Brigham, R. M., & Bayne, E. M. (2017). Recommendations for acoustic recognizer performance assessment with application to five common automated signal recognition programs. *Avian Conservation and Ecology*, 12(2), 14.
9. Lee, H. C., Hsiao, K. P., Fang, S. H., & Tsao, Y. (2018). Continuous bird sound classification using fully convolutional neural network. In *Asia-Pacific Signal and Information Processing Association Annual Summit and Conference (APSIPA ASC)* (pp. 823-828). IEEE.
10. Mcloughlin, I. V., Song, Y., & Xiao, X. (2015). Automatic bird sound classification using machine learning techniques. In *Proceedings of the IEEE 26th International Workshop on Machine Learning for Signal Processing (MLSP)* (pp. 1-6). IEEE.
11. Ruff, Z. J., Lesmeister, D. B., Duchac, L. S., Padgham, B. L., & Sullivan, C. M. (2020). Automated identification of avian vocalizations with deep convolutional neural networks. *Remote Sensing in Ecology and Conservation*, 6(1), 79-92.
12. Stowell, D., Seki, H., & Glotin, H. (2016). Bird detection in audio: A survey and a challenge. In *Proceedings of the IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)* (pp. 293-297). IEEE.
13. Waij, J. D., Costantini, M., & Spina, F. (2018). A robust bird song classifier using convolutional neural networks and dynamic time warping. *Ecological Informatics*, 48, 201-207.
14. Wu, H. W., & Zhang, X. (2020). Bird sound classification using transfer learning and deep learning ensembles. *Ecological Informatics*, 55, 101017.

15. Xia, M., Ni, H., & Zhao, Q. (2018). Bird species classification based on sound features and ensemble learning. In Proceedings of the IEEE International Conference on Computational Intelligence and Virtual Environments for Measurement Systems and Applications (CIVEMSA) (pp. 1-5). IEEE.
16. Yao, K., Ma, Y., Fan, J., & Zheng, Y. (2021). Bird classification from acoustic recordings using convolutional neural networks. In Proceedings of the International Conference on Artificial Intelligence and Computational Intelligence (pp. 485-489). Springer.
17. Zaharia, G., Vessereau, J., & Hoarau, D. (2017). Automatic classification of bird calls using deep learning. In Proceedings of the 25th European Signal Processing Conference (EUSIPCO) (pp. 1779-1783). IEEE.
18. Zhang, C., & Lu, G. (2018). A hybrid approach for bird sound classification using deep learning. In Proceedings of the IEEE International Conference on Image Processing (ICIP) (pp. 2905-2909). IEEE.
19. Zhou, Z., & Cheung, W. S. (2021). Bird species classification based on multi-scale feature fusion and attention mechanism. In Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW) (pp. 123-130). IEEE.
20. Zhuang, Y., Wang, S., & Zhang, Z. (2017). Bird sound classification using transfer learning and deep convolutional neural networks. In Proceedings of the IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP) (pp. 1015-1019). IEEE.