

HYBRID POWER GENERATION USING SOLAR, WIND AND PIEZO

D. VIKAS, M. LIKHITH, V. NIKHITHA, K. NITHIN

Mr.DALA RAHULJI

Sree Dattha Institute of Engineering and Science, Hyderabad.

Abstract:

The increasing demand for reliable and sustainable energy has accelerated the development of hybrid renewable energy systems. This project presents the design and implementation of a Hybrid Power Generation System using Solar, Wind, and Piezoelectric Energy Sources. The system integrates photovoltaic panels to harness solar energy, a wind turbine to capture wind energy, and piezoelectric sensors to generate electricity from mechanical vibrations or pressure. Solar energy provides power during daytime with high irradiance conditions, while wind energy complements generation during cloudy or nighttime periods. Piezoelectric modules are incorporated to capture energy from mechanical stress such as footsteps or vibrations, enhancing overall system efficiency. The hybrid configuration ensures improved reliability, reduced intermittency, and optimized energy output compared to standalone renewable systems. A charge controller regulates input from multiple sources and stores the generated power in a battery system for continuous supply. The proposed system is cost-effective, environmentally friendly, and suitable for rural electrification, smart infrastructure, and low-power applications. By combining multiple renewable sources, the system enhances energy security, reduces dependency on fossil fuels, and promotes sustainable development.

Index Terms—Hybrid Power Generation, Solar Energy, Wind Energy, Piezoelectric Energy, Renewable Energy System, Photovoltaic Panel, Wind

Turbine, Sustainable Energy, Energy Storage, Charge Controller.

INTRODUCTION

The rapid depletion of fossil fuel resources and the growing environmental concerns associated with conventional power generation have intensified the need for sustainable and renewable energy solutions. Increasing global energy demand, population growth, and industrial expansion require reliable and ecofriendly power generation systems. Renewable energy sources such as solar and wind energy have emerged as promising alternatives due to their abundance, cleanliness, and sustainability. However, standalone renewable energy systems often face challenges due to their intermittent nature. Solar power generation depends on sunlight availability, which varies with weather conditions and time of day. Similarly, wind energy generation fluctuates with wind speed variations. These limitations can affect system reliability and continuous power supply.[1] To overcome these issues, hybrid renewable energy systems have been developed by integrating multiple energy sources. The proposed Hybrid Power Generation System using Solar, Wind, and Piezoelectric Energy combines three renewable sources to enhance reliability and efficiency. Solar panels convert sunlight into electrical energy through photovoltaic cells, while wind turbines generate electricity from kinetic energy of moving air. In addition, piezoelectric sensors produce electrical energy when subjected to mechanical stress, vibrations, or

pressure such as footsteps or structural movements. By integrating these sources, the hybrid system ensures continuous power generation under varying environmental conditions. The energy produced is regulated through a charge controller and stored in batteries for uninterrupted supply to loads. This system is particularly suitable for remote areas, smart buildings, street lighting, highways, and other low-power applications. The combination of solar, wind, and piezoelectric energy not only improves system stability but also maximizes energy harvesting from available natural resources. Therefore, hybrid renewable systems represent a practical and sustainable approach toward achieving energy security and reducing dependence on conventional power sources.[3]

II. SOLAR POWER SYSTEM



Fig 1. Solar Power System

1. Introduction A solar power system is a renewable energy setup that converts sunlight directly into electricity using photovoltaic (PV) technology. It is one of the most practical and widely adopted clean energy solutions because sunlight is freely available, abundant, and non-polluting. In a hybrid power generation system that integrates solar, wind, and piezoelectric sources, the solar subsystem typically serves as the primary contributor of electrical energy during daytime conditions.

2. Principle of Operation The working of a solar power system is based on the photovoltaic effect.

Solar panels are made of semiconductor materials, most commonly silicon. When sunlight falls on the surface of a PV cell:[2]

- Solar radiation contains energy packets called photons.
- These photons strike the semiconductor material and transfer their energy to electrons.
- The energized electrons break free from their atomic bonds and begin to move.
- This movement of electrons creates an electric current. Each PV cell generates a small voltage (approximately 0.5–0.6 V). Multiple cells are connected in series and parallel combinations to form a solar module capable of producing usable voltage and current levels. The output of a solar panel is Direct Current (DC), which can either be stored in batteries or converted into Alternating Current (AC) for operating standard electrical appliances.[5]

3. Main Components of a Solar Power System a) Solar Panel (PV Module) The solar panel is the core component of the system. It absorbs sunlight and converts it into electrical energy. Panels are rated in watts (W), which indicates their maximum power output under standard test conditions.

Types of solar panels include:

- Monocrystalline – Higher efficiency and longer lifespan.
- Polycrystalline – Slightly lower efficiency but more cost-effective.
- Thin-film – Lightweight and flexible but lower efficiency.

[7] b) Charge Controller The charge controller regulates the flow of electricity from the solar panel to the battery.

Its main functions are:

- Preventing battery overcharging
- Protecting against deep discharge
- Improving charging efficiency

There are two common types:

- PWM (Pulse Width Modulation) – Simple and economical
- MPPT (Maximum Power Point Tracking) – More efficient, extracts maximum power from panels MPPT controllers can increase system efficiency by 15–30% compared to PWM controllers. c) Battery Storage System The battery stores excess energy generated during the day for use at night or during cloudy weather.

Common battery types include:

- Lead-acid batteries
- Lithium-ion batteries
- Gel batteries Battery capacity is measured in Ampere-hours (Ah). Proper battery sizing ensures continuous and reliable power supply. d) Inverter An inverter converts DC power from the battery into AC power required by most household and industrial appliances. Inverters are rated in watts or kilowatts and should be selected according to load requirements.[11]

4. Working Process

in a Hybrid System In a hybrid solar–wind–piezo system:

1. Solar panels generate electricity when sunlight is available.
2. The charge controller regulates the generated power.

3. Energy is either supplied directly to the load or stored in the battery.

4. During low sunlight conditions, wind and piezoelectric sources support the system. This integration ensures uninterrupted and stable power supply. 5. Design Considerations When designing a solar power subsystem, the following factors must be considered:

- Solar irradiance level of the location
- Load demand (daily energy consumption in Wh or kWh)
- Panel efficiency
- Battery backup requirement
- System voltage (12V, 24V, or 48V)
- Installation angle and orientation [13] For maximum energy production, panels are usually installed facing the equator (south-facing in the northern hemisphere) at an optimal tilt angle equal to the latitude of the location.

6. Advantages

- Environmentally friendly and zero emissions
- Low maintenance requirements
- Long operational life (20–25 years for panels)
- Modular and expandable
- Suitable for rural and remote areas

7. Limitations

- Dependent on sunlight availability
- Higher initial investment cost
- Requires energy storage for continuous supply

• Efficiency affected by dust, shading, and temperature

8. Applications Solar power systems are used in:

- Residential and commercial buildings

- Street lighting systems
- Water pumping systems
- Remote telecommunication stations
- Smart city infrastructure [17]
- Hybrid renewable energy systems

III. Wind Power System



Fig 2. Wind power system

1. Introduction A wind power system converts the kinetic energy of moving air into electrical energy using a wind turbine. Wind energy is renewable, clean, and widely available in coastal regions, open fields, and elevated terrains. In a hybrid power generation system that combines solar, wind, and piezoelectric sources, the wind subsystem plays a crucial role in generating power during cloudy weather, nighttime, or low solar radiation conditions. Wind energy complements solar energy because wind speeds are often higher during evenings and rainy seasons when solar output decreases. This makes wind power an essential component for improving system reliability and continuity.[19]

2. Principle of Operation The working of a wind power system is based on the conversion of kinetic energy into mechanical energy and then into electrical energy.

The process occurs in three main stages:

1. Wind Flow: Moving air possesses kinetic energy.
2. Blade Rotation: When wind strikes the turbine blades, it creates lift (similar to an aircraft wing), causing the rotor to spin.
3. Electricity Generation: The rotating shaft drives a generator, which converts mechanical energy into electrical energy through electromagnetic induction. The generated electricity is typically Direct Current (DC) in small-scale systems and can be stored in batteries or converted to Alternating Current (AC) using an inverter.

3. Main Components of a Wind Power System a) Wind Turbine The wind turbine is the primary component responsible for capturing wind energy.

It consists of:

- Blades – Capture wind energy
- Rotor – Connects blades to the shaft
- Nacelle – Houses generator and gearbox
- Tower – Elevates turbine to higher wind speeds [23]

There are two main types of wind turbines:

- Horizontal Axis Wind Turbine (HAWT) – Most common type; high efficiency
 - Vertical Axis Wind Turbine (VAWT) – Suitable for low wind speed and urban areas
- b) Generator The generator converts rotational mechanical energy into electrical energy.

Small wind systems often use:

- Permanent magnet generators
- Alternators The output voltage depends on wind speed and turbine rating.

c) Charge Controller The wind charge controller regulates power before it reaches the battery. It:

- Prevents battery overcharging
 - Protects system components
 - Diverts excess energy to a dump load if necessary
- Wind controllers are specially designed to handle variable voltage and fluctuating input.

d) Battery Storage The battery stores generated power for use when wind speed is low. In hybrid systems, both solar and wind subsystems may share a common battery bank.[29]

e) Inverter If AC loads are used, an inverter converts stored DC energy into AC electricity.

4. Working in a Hybrid System In a solar–wind–piezo hybrid system:

- During windy conditions, the turbine generates electricity.
- Energy is regulated by the wind charge controller.
- Power is supplied to the load or stored in batteries.
- When solar output decreases, wind energy supports the system. This complementary behavior ensures a more stable and continuous power supply.

5. Factors Affecting Wind Power Generation The power generated by a wind turbine depends on:

- Wind speed (power increases with the cube of wind speed) [30]
- Blade length

- Air density

- Turbine efficiency

• Height of installation Even a small increase in wind speed significantly increases power output. Therefore, turbines are installed at higher elevations to capture stronger and more consistent winds. 6. Advantages

- Clean and renewable energy source
- Produces power day and night
- Low operating cost after installation
- Reduces dependence on fossil fuels
- Complements solar energy effectively

7. Limitations

- Power output fluctuates with wind speed
- Requires open space or elevated installation
- Initial installation cost can be high
- Noise and vibration in some cases [28]

8. Applications Wind power systems are used in:

- Rural electrification projects
- Hybrid renewable energy systems
- Water pumping systems
- Coastal and island power generation
- Street lighting applications

III. PIEZOELECTRIC POWER GENERATION




Fig 3. Piezoelectric Power Generation

1. Introduction Piezoelectric power generation is a method of producing electrical energy from mechanical stress such as pressure, vibration, bending, or movement. This technology is based on the piezoelectric effect, where certain materials generate an electric charge when subjected to mechanical force. In a hybrid power generation system that combines solar, wind, and piezoelectric sources, the piezoelectric subsystem acts as a supplementary energy source. Although its output power is relatively small compared to solar and wind systems, it is highly useful for low-power applications and continuous micro-energy harvesting.[27]
2. Principle of Operation The working of a piezoelectric power generation system is based on

the direct piezoelectric effect. When mechanical force is applied to a piezoelectric material:

1. The internal crystal structure deforms.
 2. Positive and negative charge centers shift within the material.
 3. An electric potential difference is created across the material.
 4. When connected to a circuit, this potential drives an electric current.[26]
- Common piezoelectric materials include:

- Quartz
 - Lead Zirconate Titanate (PZT)
 - Polyvinylidene Fluoride (PVDF)
- The generated voltage depends on the magnitude of applied stress and the material properties.
3. Main Components of a Piezoelectric Power System
- a) Piezoelectric Sensors/Transducers These are the core components that convert mechanical energy into electrical energy.

They are often available as:

- Piezoelectric discs
 - Piezoelectric plates
 - Piezoelectric stacks Multiple sensors can be connected in series or parallel to increase voltage or current output.
- b) Rectifier Circuit The output from piezoelectric elements is usually alternating in nature. A bridge rectifier is used to convert AC to DC.
 - c) Energy Storage Element Since piezoelectric output is intermittent and low power, the energy is stored in:[25]

4. Working in Hybrid Power System In the hybrid solar–wind–piezo system:

- Piezoelectric modules are installed in areas with frequent mechanical activity (e.g., floors, roads, staircases).
- Mechanical pressure from footsteps or vibrations produces electrical energy.

- The generated power is rectified and stored in the battery system.

- This energy supplements solar and wind sources, especially in high-traffic areas. Though the contribution is small, it improves overall system efficiency and utilizes otherwise wasted mechanical energy.[24]

5. Advantages

- Generates energy from otherwise wasted mechanical movements
- Compact and lightweight
- No fuel required
- Environmentally friendly
- Suitable for micro-power applications

6. Limitations

- Low power output
- Requires continuous mechanical stress
- Material fatigue over long-term usage
- Higher cost per watt compared to solar and wind

7. Applications Piezoelectric power generation is used in:

- Smart floors in public places
- Railway tracks for vibration harvesting
- Roadways for vehicle pressure energy harvesting
- Wearable electronic devices
- Low-power sensors and IoT systems [22]

IV. HYBRID SYSTEM INTEGRATION (SOLAR– WIND– PIEZO)



Fig 4. Hybrid Power system

1. Introduction

Hybrid system integration refers to the coordinated combination of multiple renewable energy sources— solar, wind, and piezoelectric—into a single power generation framework. The primary objective of integration is to ensure continuous, reliable, and efficient electricity supply despite the fluctuating nature of individual renewable sources. Each energy source has unique characteristics:

- Solar energy produces maximum power during daytime.
- Wind energy can generate electricity during day or night depending on wind conditions.
- Piezoelectric energy produces power from mechanical stress and vibrations. By integrating these systems, the limitations of one source are compensated by the strengths of another, resulting in improved performance and stability.[21]

2. Overall Working Principle The hybrid system operates by combining outputs from three subsystems into a common energy storage and distribution unit. Step-by-step operation:

1. Energy Generation

- Solar panels convert sunlight into DC electricity.
- Wind turbines generate electrical energy from moving air.
- Piezoelectric sensors produce electrical pulses when mechanical force is applied.

2. Power Conditioning

- Each source passes through its respective charge controller or rectifier.
- Voltage and current are regulated to safe operating levels.

2. Energy Storage

- Conditioned DC power is directed to a common battery bank.
- Batteries store energy for continuous supply.

3. Power Distribution

- The stored DC power is supplied directly to DC loads or
- Converted into AC using an inverter for AC loads.

This coordinated flow ensures uninterrupted energy supply even if one or two sources are temporarily inactive.

4. Integration Architecture Hybrid systems generally follow one of the following configurations:

a) Common DC Bus System All energy sources feed into a shared DC bus connected to a battery bank. This is the most common configuration for small-scale systems.

b) AC-Coupled System Each source generates AC power and connects to a common AC bus. Suitable for larger systems.

c) Priority-Based Control System A microcontroller-based system gives priority to available energy sources depending on generation levels and load demand.

4. Control and Energy Management An effective hybrid system requires a control strategy to:

- Monitor voltage and current from each source
- Prevent battery overcharging and deep discharge
- Automatically switch between sources
- Maintain load stability [18] Advanced systems use microcontrollers or smart energy management systems (EMS) to optimize performance and increase efficiency.

5. Advantages of Hybrid Integration

- Increased reliability and reduced power interruption
- Better utilization of available natural resources
- Reduced dependency on fossil fuels
- Improved energy efficiency

- Suitable for remote and off-grid applications

- Lower overall carbon footprint

6. Challenges in Integration

- Complex control system design

- Higher initial investment cost

- Synchronization and voltage matching issues

- Maintenance of multiple subsystems [16]

However, the long-term benefits outweigh these challenges.

6. Applications Hybrid solar–wind–piezo systems are suitable for:

- Rural and remote electrification

- Smart cities and intelligent infrastructure

- Street lighting systems

- Highway energy harvesting

• Small residential and commercial installations
Advantages of Hybrid Power Generation System (Solar–Wind–Piezo) Hybrid power generation systems combine solar, wind, and piezoelectric energy sources into a single integrated setup.

This combination offers several technical, economic, and environmental advantages compared to standalone renewable systems.

1. Improved Reliability One of the major benefits of a hybrid system is enhanced reliability. Since solar energy is available during the day, wind energy can operate during both day and night (depending on wind availability), and piezoelectric systems generate power from mechanical movement, the overall system ensures a more continuous power supply. If one source becomes unavailable, the others can compensate.

2. **Reduced Intermittency** Renewable sources are naturally variable. Solar power depends on sunlight, and wind power depends on wind speed. By integrating multiple sources, the fluctuation of one source is balanced by another. This significantly reduces the intermittency problem commonly associated with single-source renewable systems.[15]

3. **Better Energy Utilization** Hybrid systems maximize the use of available natural resources:

- Solar radiation during daytime
- Wind energy during windy conditions
- Mechanical energy from vibrations or human movement This improves overall system efficiency and minimizes wasted energy potential.

3. **Continuous Power Supply** Because energy is generated from multiple sources and stored in a common battery bank, the system can provide uninterrupted power. This is especially beneficial in remote or off-grid locations where grid electricity is unreliable or unavailable.

5. **Reduced Dependence on Fossil Fuels** By utilizing renewable resources, hybrid systems reduce reliance on coal, diesel, and other fossil fuels. This decreases greenhouse gas emissions and supports environmental sustainability.[14]

6. **Cost-Effective in the Long Term** Although the initial installation cost may be higher, hybrid systems reduce fuel costs, maintenance expenses, and electricity bills over time. The long operational life of renewable components further improves cost efficiency.

7. **Scalability and Flexibility** Hybrid systems are modular in nature. Additional solar panels, wind turbines, or piezoelectric modules can be added based on increasing load demand. This makes the

system adaptable for both small and large applications.

8. **Suitable for Remote and Rural Areas** Hybrid systems are ideal for:

- Rural electrification
- Remote monitoring stations
- Street lighting systems
- Isolated communities They eliminate the need for long transmission lines and reduce transmission losses.

9. **Environmental Benefits**

- Zero air pollution during operation
- Low noise (especially solar and piezo systems)
- Minimal ecological impact
- Reduced carbon footprint

10. **Enhanced System Efficiency** When integrated with proper control and energy management systems, hybrid setups optimize power flow, battery charging, and load distribution. This increases overall efficiency compared to independent systems. **Future Scope of Hybrid Power Generation System (Solar–Wind–Piezo)**

1. **Integration with Smart Grid Technology** In the future, hybrid renewable systems can be connected to smart grids for better monitoring, control, and energy distribution. Smart grid integration will allow real-time data analysis, automatic load management, and efficient power sharing between consumers and utility networks.

2. **Advanced Energy Management Systems (EMS)** The implementation of intelligent controllers and microcontroller-based energy management systems will improve system performance. Artificial

Intelligence (AI) and Machine Learning (ML) algorithms can predict weather conditions, optimize energy generation, and manage battery charging efficiently.

3. Improved Energy Storage Technologies Future developments in battery technology, such as advanced lithium-ion, solid-state batteries, and supercapacitors, will increase storage capacity, reduce charging time, and improve system lifespan. Better storage solutions will make hybrid systems more reliable and cost-effective.

4. Expansion in Smart Infrastructure Piezoelectric technology can be widely implemented in:

- Smart highways to harvest energy from vehicle movement
- Railway tracks to capture vibration energy
- Shopping malls and public walkways for footstep energy generation This will convert everyday mechanical activity into useful electrical energy.

4. Increased Efficiency of Renewable Components Ongoing research in photovoltaic materials (such as perovskite solar cells) and improved wind turbine blade designs will enhance energy conversion efficiency. Higher efficiency components will reduce system size while increasing power output

6. Application in Electric Vehicle (EV) Charging Stations Hybrid renewable systems can power EV charging stations, reducing dependence on grid electricity and fossil fuels. This will support the global transition toward sustainable transportation.

7. Rural and Disaster Management Applications Future hybrid systems can be designed as portable or modular units for:

- Disaster relief camps
- Emergency power supply

- Remote healthcare centers

• Military field operations These systems can provide reliable electricity in areas where grid infrastructure is damaged or unavailable.

8. Cost Reduction Through Mass Production As renewable technologies become more common, large-scale manufacturing will reduce component costs. This will make hybrid systems affordable for households, institutions, and small industries.[9]

9. Integration with IoT and Remote Monitoring Hybrid systems can be integrated with IoT-based monitoring platforms that allow users to track energy generation, battery status, and load consumption through mobile applications. This improves maintenance efficiency and system reliability. Applications of Hybrid Solar–Wind–Piezo Power Generation System Hybrid power generation systems, which integrate solar, wind, and piezoelectric technologies, are versatile and can be applied in various sectors due to their reliability, sustainability, and adaptability.

1. Rural and Remote Electrification

- Hybrid systems provide electricity to areas without grid connectivity.
- Useful for small villages, remote schools, and community centers.
- Reduces dependence on diesel generators and fossil fuels.

2. Street Lighting and Highways

- Solar–wind hybrid systems can power streetlights, traffic signals, and highway lighting.
- Piezoelectric modules embedded in roads can generate additional energy from passing vehicles.

- Ensures continuous illumination even in off-grid areas.

3. Smart Buildings and Infrastructure

- Integration of hybrid systems into buildings reduces energy bills and carbon footprint.
- Piezoelectric floors can harvest energy from human movement in malls, airports, and offices.
- Enhances sustainability of smart city projects.

5. Remote Monitoring and Telecommunication Stations

- Powers remote weather stations, telecommunication towers, and IoT sensors.
- Ensures uninterrupted operation where grid power is unreliable or unavailable.

5. Water Pumping and Irrigation

V.

- Hybrid systems can power agricultural pumps for irrigation in rural areas.
- Reduces the need for grid electricity or diesel pumps.

6. Railway Tracks and Transportation Systems

- Piezoelectric modules can be installed along railways to generate electricity from vibrations.
- Solar and wind subsystems can provide auxiliary power for signals and station lighting.

7. Emergency and Disaster Relief

- Portable hybrid systems can be deployed in disaster-hit areas for lighting, communication, and medical equipment.
- Provides clean, renewable power where grid infrastructure is damaged.

8. Off-Grid Residential and Commercial Applications

- Homes, small offices, and shops can use hybrid systems for daily electricity needs.

- Reduces electricity bills and enhances energy security.

9. Electric Vehicle (EV) Charging Stations

- Hybrid systems can power EV charging points in remote or off-grid locations.
- Supports sustainable transportation initiatives and reduces reliance on grid electricity.

10. Educational and Research Applications

- Demonstrates renewable energy integration in universities and technical institutions.
- Encourages research in hybrid systems, energy management, and sustainability technologies.

CONCLUSION

The Hybrid Power Generation System using Solar, Wind, and Piezoelectric Energy offers a sustainable, reliable, and efficient solution for modern energy demands. By integrating multiple renewable energy sources, the system overcomes the limitations of individual power generation methods, such as the intermittency of solar and wind power. The inclusion of piezoelectric modules allows the capture of otherwise wasted mechanical energy, further enhancing overall energy harvesting efficiency. This hybrid approach ensures a continuous power supply by complementing the strengths of each energy source: solar energy during the day, wind energy during varying weather conditions, and piezoelectric energy from vibrations and mechanical stress. The system is environmentally friendly, reduces dependence on fossil fuels, and is suitable for rural electrification, smart infrastructure, street lighting, water pumping, and other off-grid applications.

REFERENCES

- [1] Kalogirou, S. A., Solar Energy Engineering: Processes and Systems, Academic Press, 2014.
- [2] Boyle, G., Renewable Energy: Power for a Sustainable Future, Oxford University Press, 2021.
- [3] Twidell, J., & Weir, T., Renewable Energy Resources, 3rd Edition, Routledge, 2020.
- [4] Patel, M. R., Wind and Solar Power Systems, CRC Press, 2017.
- [5] Khan, M. J., Iqbal, M. T., Hybrid Renewable Energy Systems, Wiley, 2018.
- [6] Liu, H., Piezoelectric Energy Harvesting: Principles and Applications, Springer, 2016.
- [7] Beeby, S. P., et al., "Energy Harvesting for Autonomous Systems," Measurement Science and Technology, 2010.
- [8] Spertino, F., Micro-Grid and Hybrid Systems: Design and Operation, Springer, 2017.
- [9] Kalogirou, S. A., "Photovoltaic Systems for Sustainable Energy," Progress in Energy and Combustion Science, 2009.
- [10] Manwell, J. F., McGowan, J. G., Rogers, A. L., Wind Energy Explained: Theory, Design and Application, 2nd Edition, Wiley, 2010.
- [11] Roundy, S., et al., "A Study of Low-Level Vibrations as a Power Source," Journal of Intelligent Material Systems and Structures, 2003.
- [12] Bechtel, R., "Hybrid Renewable Energy Systems: Design, Control and Applications," Renewable Energy, 2014.
- [13] Rehman, S., et al., "Modeling of Hybrid Solar–Wind Energy Systems," Energy Conversion and Management, 2007.
- [14] Mohamed, A., et al., "Design of Piezoelectric Energy Harvesters for Smart Infrastructure," Smart Materials and Structures, 2015.
- [15] Femia, N., et al., Power Electronics and Renewable Energy Systems, Springer, 2012.
- [16] Solanki, C. S., Renewable Energy Technologies, 3rd Edition, PHI Learning, 2019.
- [17] Bhattacharya, K., Renewable Energy Integration with Microgrids, CRC Press, 2018.